



UTILITIES Dept.

P.O. Box 308

Clarkdale, Az. 86324

Tel: (928) 639-2520 Fax: (928) 639-2529

TOWN OF CLARKDALE, ARIZONA MINIMUM REQUIREMENTS FOR CONNECTING SERVICE LINES TO TOWN SEWER

General.

- Application to connect service lines to the Town of Clarkdale sewer system must be made with the Town of Clarkdale on a form supplied by the Town.
- Permit fee must be paid and application approved prior to any construction.
- The Town will be notified 24 hours prior for inspection, all lines must be inspected before backfilling.
- Adequate safety barricades must be in place to protect the public, in accordance with the most recent Federal Highway Administration Manual on Uniform Traffic Control Devices (MUTCD).

Service Line.

- All pipe and fittings must be minimum 4" Schedule #40, PVC or ABS plastic, or of equivalent materials listed in the International Plumbing Code, 2003, or piping approved by the Utilities Director or Town Engineer.
- All joints must be properly installed per manufacturers specifications to create a watertight bond.
- Service line shall be installed at a minimum grade of 1/4 inch fall per foot the entire length of run.
- One tap shall service a single service line and one service line shall be permitted per addressed location, unless a waiver has been obtained from Town Council.
- Roof downspouts, interior or exterior foundation drains, sump pumps discharging unpolluted water, or other sources of surface runoff or groundwater, **shall not** be connected to Town sewer system.



**TOWN OF CLARKDALE, ARIZONA
MINIMUM REQUIREMENTS FOR CONNECTING
SERVICE LINES TO TOWN SEWER**

Continued.

- Two cleanouts facing opposite parts of the sewer service line must be provided. Cleanouts shall be located outside the structure and extend to a minimum of 6-inches above ground level with an appropriate cap.
- Service line shall be laid on a minimum 2-inch bed of sand and covered with 4-inch minimum of sand.
- An air test of 10 pounds per square inch, (psi) maintained for thirty (30) minutes shall be required for sewer service inspection.

Connection to Town Sewer Main:

- 24 hour minimum notice shall be given to the Utilities Department for scheduling connection to Town sewer main.
- Utilities Crew shall perform all required work on **Town** sewer main.



**CLARKDALE, ARIZONA
SEWER LINE CONNECTION INSPECTION CHECKLIST**

Date: _____ Permit number: _____

Purpose of connection: _____

Connection Location: _____

SERVICE LINE

- All pipe and fittings shall be a minimum 4-inch Schedule #40, PVC or ABS plastic, or equivalent materials listed in the International Plumbing Code, 2003 or piping approved by the Utilities Director.
- All joints must be properly installed per manufacturers specifications to create a watertight bond.
- Service line shall be laid on a minimum grade of 1/4 inch fall per foot for entire length of run.
- One tap per service line per addressed location.
- Was a waiver given by Town Council? Yes No N/A
- Roof downspouts, foundation drains, sump pumps or other sources of surface runoff or groundwater **shall not** be connected to the Town sewer system.
- Two cleanouts facing opposite parts of the sewer service line are provided with cleanouts and extending to a minimum 6-inches above ground level with an appropriate cap.
- Service lines are installed on a minimum 2-inch bed of sand and covered with 4-inch minimum of sand.
- An air test of 10 pounds per square inch, held for thirty (30) minutes shall be required for sewer service inspection.

Service line construction and sewer line connection inspected and approved by:

Wastewater Superintendent

Date: _____



**TOWN OF CLARKDALE, ARIZONA
UTILITIES DEPARTMENT
APPLICATION TO CONNECT TO TOWN SEWER**

Application number: _____

Name of applicant: _____

Address: _____

Phone number: _____ Date: _____

Location of proposed connection: _____

Construction scheduled to begin (date): _____

Connection to serve: residential commercial industry other-_____

* For Commercial connection fee list existing water meter size: _____

Connection fee paid: yes no Amount paid \$ _____

Development fee paid: yes no Amount paid \$ _____

I, _____ will comply with the requirements for connecting to the sewer system of the Town of Clarkdale, Chapter # 11 of the Town Code. I also understand that additional requirements may be imposed when deemed necessary by the Town of Clarkdale.

Application approved by: _____

Utilities Director, Town of Clarkdale

